

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	((("4879747") or ("4995081") or ("5440635") or ("5481612") or ("5694471") or ("6044155") or ("6081893") or ("6094721")).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:01
S2	2358	goodman-\$.in.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:02
S3	324	goodman-s\$.in.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:02
S4	5	goodman-steve-\$.in.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:15
S5	0	goodman-steve.in.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:15
S6	83	goodman-st\$.in.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:15
S7	6	goodman-st\$.in. and challenger.in.	US-PGPUB; USPAT	OR	OFF	2005/07/28 15:26
S8	219	trusted with platform with module	US-PGPUB; USPAT	OR	ON	2005/07/28 15:27
S9	140	trusted with platform with module and trusted with computing with alliance	US-PGPUB; USPAT	OR	ON	2005/07/28 15:27
S10	109	trusted with platform with module same trusted with computing with alliance	US-PGPUB; USPAT	OR	ON	2005/07/28 15:27
S11	109	trusted with platform with module same trusted with computing with alliance and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:37
S12	20	trusted with platform with module same trusted with computing with alliance and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 15:28
S13	3	trusted with platform with module same trusted with computing with alliance and (@ad<"20011130" @prad<"20011130") and remote near access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 15:44
S14	20	trusted with platform with module same trusted with computing with alliance and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 15:44
S15	3	trusted with platform with module same trusted with computing with alliance and (@ad<"20011130" @prad<"20011130") and remote near access not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:11

S16	46	(hash\$3 encrypt\$3) with password with security with (processor chip) and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:12
S17	43	encrypt\$3 with password with security with (processor chip) and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:13
S18	27	encrypt\$3 with password with security with (processor chip) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:15
S19	141	encrypt\$3 with password with (processor chip)and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:16
S20	141	encrypt\$3 with password with (processor chip) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:16
S21	53	encrypt\$3 with password with (processor chip) with key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:18
S22	27	server with compar\$3 with encrypt\$3 with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:38
S23	5	("6064736").URPN.	USPAT	OR	OFF	2005/07/28 16:25
S24	25	("5719941").URPN.	USPAT	OR	OFF	2005/07/28 16:38
S25	66860	encrypt\$3 with new password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:49
S26	279	encrypt\$3 with new with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:49

S27	170	encrypt\$3 with new with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:49
S28	91	encrypt\$3 with new with key with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:50
S29	3789	encrypt\$3 with new with key with password and compar\$3 encrypt\$3 with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:50
S30	14	encrypt\$3 with new with key with password and compar\$3 with encrypt\$3 with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:53
S31	238	encrypt\$3 with password with private near key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:54
S32	35	server with encrypt\$3 with password with private near key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:54
S33	21	server with encrypt\$3 with (user client node agent) with password with private near key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:58
S34	12	server with (creat\$3 generat\$3 calculat\$3) with (user client node agent) with key with pair and server with encrypt\$3 with (user client node agent) with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:06
S35	39	(authenticat\$3 authori\$6 verif\$7) with compar\$3 with (user client node agent) with encrypt\$3 with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:25
S36	0	grant\$3 with (access permission) with compar\$3 with (user client node agent) with encrypt\$3 with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:25

S37	6	((trusted with platform with module) (trusted with computing with alliance)) same remote with access and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:40
S38	724	encrypt\$3 with (user client node) with password with (stor\$3 register\$3 keep\$3) and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:41
S39	74	encrypt\$3 with (user client node) with password with (stor\$3 register\$3 keep\$3) and compar\$3 with encrypt\$3 with password and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:42
S40	53	encrypt\$3 with (user client node) with password with (stor\$3 register\$3 keep\$3) same compar\$3 with encrypt\$3 with password and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:42
S41	8	server with encrypt\$3 with (user client node) with password with (stor\$3 register\$3 keep\$3) same compar\$3 with encrypt\$3 with password and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:43
S42	12	server with compar\$3 with encrypt\$3 with password with (authenticat\$3 authori\$6 verif\$7) and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:44
S43	9	server with compar\$3 with encrypt\$3 with password with (authenticat\$3 authori\$6 verif\$7) and (@ad<"200011130" @prad<"20011130") not S41	US-PGPUB; USPAT	OR	ON	2005/07/28 17:54
S44	19	("5774650").URPN.	USPAT	OR	OFF	2005/07/28 17:52
S45	71	compar\$3 with encrypt\$3 with password with (authenticat\$3 authori\$6 verif\$7) and (@ad<"200011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/28 17:54
S46	59	compar\$3 with encrypt\$3 with password with (authenticat\$3 authori\$6 verif\$7) and (@ad<"200011130" @prad<"20011130") not S42	US-PGPUB; USPAT	OR	ON	2005/07/28 17:55

S47	46	compar\$3 with encrypt\$3 with password with (authenticat\$3 authori\$6 verif\$7) and (@ad<"20011130" @prad<"20011130") not S42	US-PGPUB; USPAT	OR	ON	2005/07/28 17:55
S48	861	security adj (chip processor)	US-PGPUB; USPAT	OR	ON	2005/07/29 13:06
S49	8	security adj (chip processor) with (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair	US-PGPUB; USPAT	OR	ON	2005/07/29 13:21
S50	7	security adj (chip processor) with (user client node) with key near3 pair	US-PGPUB; USPAT	OR	ON	2005/07/29 13:12
S51	0	security adj (chip processor) with (user client node) with key near3 pair not S49	US-PGPUB; USPAT	OR	ON	2005/07/29 13:13
S52	8	security adj (chip processor) same (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair not S49	US-PGPUB; USPAT	OR	ON	2005/07/29 13:18
S53	72	security adj (chip processor) and (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair not S49 not S52	US-PGPUB; USPAT	OR	ON	2005/07/29 13:18
S54	6	security adj (chip processor) and (generat\$3 creat\$3 calculat\$3 produc\$3) with (client user node) with key near3 pair not S49 not S52	US-PGPUB; USPAT	OR	ON	2005/07/29 13:19
S55	153	(chip processor) with (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair	US-PGPUB; USPAT	OR	ON	2005/07/29 13:22
S56	29	(chip processor) with (generat\$3 creat\$3 calculat\$3 produc\$3) with (client user node) with key near3 pair	US-PGPUB; USPAT	OR	ON	2005/07/29 13:22
S57	23	(chip processor) with (generat\$3 creat\$3 calculat\$3 produc\$3) with (client user node) with key near3 pair and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 13:50
S58	83	(server) with (generat\$3 creat\$3 calculat\$3 produc\$3) with (client user node) with key near3 pair and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:06

S59	98	(generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair with pass\$4 and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:17
S60	20	server with (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair with pass\$4 and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:09
S61	113	sign\$3 with pass\$4 with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:09
S62	23	server with sign\$3 with pass\$4 with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:09
S63	23	(server (security with (chip \$5processor)))with sign\$3 with pass\$4 with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:09
S64	23	(server (security with (chip \$5processor))) with sign\$3 with pass\$4 with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:10
S65	103	(generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair and sign\$3 with (pass\$word pass\$phrase) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:17
S66	14	server with (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair and sign\$3 with (pass\$word pass\$phrase) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:18
S67	2	server with (generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair same sign\$3 with (pass\$word pass\$phrase) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:18
S68	11	(generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair same sign\$3 with (pass\$word pass\$phrase) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:19

S69	9	(generat\$3 creat\$3 calculat\$3 produc\$3) with key near3 pair same sign\$3 with (pass\$word pass\$phrase) and (@ad<"20011130" @prad<"20011130") not S67	US-PGPUB; USPAT	OR	ON	2005/07/29 14:21
S70	5	(generat\$3 creat\$3 calculat\$3 produc\$3) with (user client node) with key near3 pair same sign\$3 with (pass\$word pass\$phrase) and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT	OR	ON	2005/07/29 14:23
S71	258	(sign\$3 encrypt\$3) with private adj key with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:39
S72	12	server with (sign\$3 encrypt\$3) with (client user node) near private adj key with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:45
S73	45	(sign\$3 encrypt\$3) with (client user node) near private adj key with password and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:47
S74	24823966	(sign\$3 encrypt\$3) with (client user node) with password with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:47
S75	144	(sign\$3 encrypt\$3) with (client user node) with password with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:48
S76	3	receiv\$3 with (clear unencrypt\$3) with (pass\$word pass\$phrase) and (sign\$3 encrypt\$3) with (client user node) with (pass\$word pass\$phrase) with private adj key and (@ad<"20011130" @prad<"20011130")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 14:48